C10/26 - DECLARATION OF	CONFORMITY for nowe	er-generating units
CLV add 1.2 (12/2010)	Colti Orimir i ioi powe	a generating and

ESY Sunhome Co..Ltd

GLV230-01

for the application of annex D "Technical basic requirements regarding the power-generation units" of the Synergrid prescription C10/11 ed2.1 (01/09/2019)



The undersigned,	Manufacturer:	ESY Sunhome Co.,Ltd	Represented by:	ESY Sunhome Co.,Ltd
	Address:	01, Building 6,No.5-2, Inner Ring Road, Shanxia Comm	Country:	P.R.C
			email:	yss@lishengyuansz.com
			Telephone:	86 18575597852

Hereby declares that each production unit completed in the list in tab 'list of power-generating units' of this homologation application complies with the following conditions:

- 1. The power-generating unit complies with the relevant requirements set out in annex D "Technical basic requirements regarding the power-generation units" of the Synergrid prescription C10/11 ed2.1 (01/09/2019).
- 2. In order to substantiate this, a separate technical file has been submitted at least for each separate product series of the 'C10/26 list of power-generating units' of this homologation application. Each technical file shall be drawn up on the basis of a checklist Annex D, duly and correctly completed by the manufacturer, accompanied by all the required proof of conformity.
  - 2.1 For technical requirements for which the required proof of conformity (column J in checklist annex D) is a declaration of honour by the manufacturer, the manufacturer declares by signing and dating this declaration of conformity the correctness of the information (conform / not conform / not applicable) provided by him or her in columns K, L and M of this checklist.
  - 2.2. For technical requirements for which the required proof of conformity (column J in checklist Annex D) is a test report or a certificate, the necessary test reports and/or certificates are available \* in the technical file:
    - Certificates have been issued by an EN 45011 (or ISO 17065:2012) certification body accredited for these materials.

ESYSUNHOME HM6

- Test reports have been established by an ISO 17025:2005 or ISO 17065:2012 laboratory accredited for these tests.
- 2.3 A list of the document references or the certificates of conformity referred to in the checklist Annex D is also available in the technical file.

Done at:	China		Homologated by Synergrid on:	18/11/2024
On:		31/05/2023	Stamp Synergrid & signature:	Digitally signed, see last page
Digitally signed, see last	t page			

If at the time of submission of this homologation application it is not yet possible to submit all the necessary certificates and/or test reports (exception 3), or that the units do not yet have all the required characteristics (exceptions 1 and 2), a <u>temporary homologation</u> may be granted. All necessary certificates and/or test reports must be in the possession of Synergrid at the latest on 30/04/2020 in order to obtain a final homologation. if this is not the case, the temporary C10/26 homologation will be withdrawn.

<sup>\*</sup> Transition period till 01/05/2020 (see exceptions in chapter 3 of C10/11 ed 2.1 (01/09/2019)):

### POWER-GENERATING UNITS TO BE HOMOLOGATED FOR LIST C10/26 ACCORDING TO THE REQUIREMENTS OF ANNEX D OF THE TECHNICAL PRESCRIPTION C10/11 ed2.1 (01/09/2019)

2. C10/26 list with power-generating units in accordance with annex D of C10/11 ed 2.1 (01/09/2019)

01.1/000.04		ESYSUNHOME HM6	
GLV230-01	ESY Sunhome Co., Ltd	Hybrid Inverter	

checklist ed 2.1.2 (12/2019)

1	2	3	4	5	6	7	8	9	10			11				12			13		14	15
						uitable for) energy age:	PO	WER		ADDI	TIONAL	. CHARAG	CTERIS	TICS	LIMIT	ATIONS	3	AF	PLICA	ION	Synergri	l approval date
					Name and refere	nce of the power				D.3	<u> </u>	D.6.2 D.4.1	D.7.2	0	D.4.3 D.7.1	D.9.1	()					
SYNERGRID eference number GLVxxx-yy-zzzz)	BRAND NAME	Name of the product SERIES	REFERENCE of the model / type of the unit	FIRMWARE VERSION	power control system type EnFluRi	other power control system	P <sub>ac,r</sub> rated (active) power (W)	S <sub>max</sub> maximum apparent power (VA)	1-phase or 3-phase	integrated automatic separation system	"RfG type B ready" = suitable for use in installation ≥ 1MW	power response to underfrequency additional operating frequency range	active power reduction P(U)	compliant power control system provided (e.g. EnFluRi)	connection to HV-network only homologated for "small power- generating installations"	only homologated use in module < 80	only homologated as a backup power system according to §2.1.1	Wind energy Solar energy	CHP (combined heat & power)	Backup power system	Temporary homologation (expires on 01/05/2020)	Final homologation
GLV230-01-0001		ESYSUNHOME HM5 Hybrid Inverter	ESYSUNHOME HM5	V1.0	meter +DDS3366D-J		5000	5000	1-phase	х		x	х	Х			)	K	x	x		18/11/2024
GLV230-01-0002	ESY Sunhome Co., Ltd	ESYSUNHOME HM6 Hybrid Inverter	ESYSUNHOME HM6	V1.0	meter +DDS3366D-J		6000	6000	1-phase	х		х	Х	х			)	K	х	х		18/11/2024

#### **EXPLANATIONS FOR THE COMPLETION OF THE TABLE**

Column	Title	Remarks
		In the case of a positive homologation, each C10/26-homologated power-generating unit is given a unique Synergrid reference number:
	SYNERGRID reference	xxx = unique reference or the manufacturer
1	number	yy = serial number of manufacturer xxx's record xxx
	(GLVxxx-yy-zzzz)	zzzz = unique unit reference for the manufacturer xxx
		Note: "GLV" is the internal Synergrid-abbreviation for Declaration of Conformity, based on the Dutch word "Gelijkvormigheidsverklaring".
2	Brand name	Brand name under which the unit is marketed on the Belgian market,
		Name of the product range.
3	Name of the product series	Note: For each separate product range (or each group of units with common characteristics) a separate checklist according to Appendix D is required (sheet 3) together with the corresponding conformity
		proof documents.
4	Reference of the model /	Unique product name or reference. Units of the same product range must be unequivocally distinguished from each other through this name or reference.
	type of the unit	
5	Firmware version	Reference of the firmware version of the unit.
6	power control system type	This case is only applicable for units (suitable for) energy storage, provided with a power control system of type EnFluRi; Name and reference of the power control system of type EnFluRi, compliant to the
	EnFluRi	requirements in C10/11 ed2.1 (01/09/2019) §4.1.7 and §7.11.2.1  This case is only applicable for units (suitable for) energy storage, provided with a power control system of another type than EnFluRi: Name and reference of the power control system, compliant to the
7	other power control system	Inits case is only applicable for units (solication for principle) systems, compilant to the requirements in Cl0/11 ed.2. (01/09/2019) §7.11.2.2
	P <sub>ac r</sub> rated (active) power	Active (electrical) power in W at the terminals of the unit, as stated on the technical sheet / data sheet / brochure and nameplate.
8	(W)	(For photovoltaic inverters: see also definition in §3.2.5 of IEC 62894 2016-11)
	Smax - maximum apparent	
9	power (VA)	Maximum apparent (electrical) power at the terminals of the unit, as stated on the certificate / the test report / the technical sheet / data sheet / brochure.
10	1-phase or 3-phase	Indicate whether the unit is single- or three-phase. This characteristic refers to the unit itself, not to the nature of the connection to the distribution network to which the unit can be connected.
	2 phase of 5 phase	
		In these columns optional additional characteristics of the units are indicated, following the information in checklist annex D and the corresponding technical file.
11	Additional characteristics	Put an "X" at each relevant additional characteristic.
11	Additional characteristics	Note: Only units < 1 MW that are "type B ready" may be applied in an installation ≥ 1 MW (installation "type B" according to the European Network Code RfG). A unit < 1 MW is only "type B ready" if it complie:
		with <u>all</u> optional properties ticked in column I of the checklist Annex D.
12	Limitations	These columns specify limitations of the units to their application in certain types of installations, in accordance with the information in the checklist in annex D and the corresponding technical file.
		Put an "X" to each relevant limitation.
		Indicate the applications for which the unit is suitable.
13	Application	Include an "X" with each application for which the unit can be used.

14	Synergrid approval date	Date on which the submitted homologation file was approved by Synergrid for a limited period of time.  - A temporary homologation is granted if the applicant invokes exceptions in chapter 3 of C10/11 ed.2.1 (01/09/2019) and has not yet submitted all the test reports required for a definitive homologation with his homologation application (exception 3), or if the units do not yet have all the required properties (exceptions 1 and 2).  - The expiry date for a temporary homologation is 01/05/2020 - see conditions in chapter 3 of C10/11 ed.2.1 (01/09/2019).
15	Synergrid approval date Final homologation	Date on which the submitted homologation file was definitely approved by Synergrid.  - A final approval will be granted as soon as Synergrid has a fully compliant homologation dossier.  - A final homologation only remains valid under the following conditions:  - No changes that have an influence on the initial approval are made to (the production of) the units.  - There is no new edition of prescription C10/11.  - The validity date of the test reports in the technical file submitted for approval has not been exceeded.  See also the general Synergrid procedure S1/01 for homologation of material, which is applicable. (1)

 $(1) - S1/01 \ Technical \ specification: procedure \ for \ application \ for \ homologation \ and \ renewal \ of \ homologation \ of \ materials$ 

## PENN30

The signatures in this document are legally binding. The document is signed using Penneo™ secure digital signature. The identity of the signers has been recorded, and are listed below.

"By my signature I confirm all dates and content in this document."

### ESY Sunhome Co.,Ltd

Signataire 1

Serial number: yss@lishengyuansz.com IP: 14.153.xxx.xxx 2024-12-11 00:51:34 UTC

# 李梓清

## Van Steenberghe Liesbeth Annelore Signataire 2

Serial number: 4F:5B:D5:DD:42[...]B:30:F9:01:6A IP: 87.64.xxx.xxx 2024-12-11 08:07:29 UTC





This document is digitally signed using **Penneo.com.** The digital signature data within the document is secured and validated by the computed hash value of the original document. The document is locked and timestamped with a certificate from a trusted third party. All cryptographic evidence is embedded within this PDF, for future validation if necessary.

This document is protected by an Adobe CDS certificate. When you open the  $\,$ 

document in Adobe Reader, you should see, that the document is certified by **Penneo e-signature service <penneo@penneo.com>.** This guarantees that the contents of the document have not been changed.

You can verify the cryptographic evidence within this document using the Penneo validator, which can be found at https://penneo.com/validator